

Daniel P. Keenan, DVM

Lynsey D. Makkreel, DVM

Talia M.A. Lin, DVM

Owner: \_\_\_\_\_

Foal Name: \_\_\_\_\_

Foal Date of Birth: \_\_\_\_\_



Fill in dates based on DOB														
<b>Foal Preventative Maintenance</b>	1 Month	2 Months	3 Months	4 Months	5 Months	6 Months	7 Months	8 Months	9 Months	10 Months	11 Months	12 Months	Spring Shots as Yearling	Fall Shots as Yearling
Physical Examination	X			X										
<b>Preventative Vaccinations</b>														
WET Vaccine				X	X								X	
Rabies Vaccine						X	X							X
Rhinopneumonitis/Influenza Vaccine				X	X						X		X	X
Rhinopneumonitis								X						
Botulism Vaccine					X	X	X							X
Potomac Horse Fever Vaccine					X	X							X	
Intranasal Strangles	Not recommended until 2 years of age.													
<b>FOAL DEWORMING</b>			Anthelcide EQ			Anthelcide EQ	Fecal egg count		Anthelcide EQ or Ivermectin				Anthelcide EQ or Ivermectin with Praziquantel	
<b>OCD Prevention Program</b>		X		X		X		X		X			X	
The use of Adequan in growing foals has been shown to drastically reduce the incidence of OCD.		7 shot series		7 shot series		7 shot series		7 shot series		7 shot series				
All Adequan injections are based on 1.1mb/kg or 1ml per 200 pounds in muscle. Initial series of 7 shots given every 4 days at 2, 4, 6, 8 & 10 months of age. The last series is followed by once weekly shots until November of the yearling year.														

Daniel P. Keenan, DVM      Lynsey D. Makkreel, DVM      Talia M.A. Lin, DVM

183B Bordentown Crosswicks Rd, Crosswicks, NJ 08515

Ph: 609-291-0535 Fax: 609-291-8899

www.foundationequinenj.com    info@foundationequinenj.com